



THERMALWELD[®] SELECT


polariswindows.com



DOUBLE HUNG FEATURES



Sash limit locks secure partial opening.



Continuous over/under interlock and sashes are triple weatherstripped to prevent air infiltration. Optional reinforced meeting rails.



Extruded lift rail is part of sash extrusion, not added later. Fusion welded frame and sash corners are strong and free from gaps.




polariswindows.com



Premium Double Hung featuring Duo-Tilt Lock

Standard on ThermalWeld Select



Duo-Tilt combination lock system allows three sash lock actions: Lock, Unlock and Tilt. Lock system provides a hidden tilt latch function.



Duo-Tilt lock system provides a secure, air tight seal. DuoTilt locks eliminate need for added tilt latches, giving a more stylish look and a stronger corner weld on meeting rail sash.





PICTURE WINDOW

Picture windows, although inoperable, provide additional light and depth to a living space. Flank double hungs or casements to create a more unique design to a room. Picture windows are also the main focal point in Bay windows.


WINDOW FEATURES Options on ThermalWeld Select

FOAM FILL INSULATED EXTRUSIONS



Multi chamber extrusions are strong and insulating. Foam-filled main frame and sash standard.

INNERGY® Rigid Thermal Reinforcements



Rigid Thermal Reinforcements are advanced fiberglass reinforced resin inserts, designed to slide easily into window chambers for greater support and insulation.

Intercept® Stainless The Strongest Choice.™



Sealant Effectiveness & Gas Retention
The sealant provides the moisture vapor barrier for the I.G. unit. The longer the transmission path, the slower the rate that moisture will travel into the unit through the seal. Stainless Steel is impervious to gas transmission, improving gas retention and maximizing the insulation value of your window over time. Intercept® Stainless offers one of the best transmission paths to maximize window performance.

WINDOW OPTIONS

EXTERIOR PAINT



Lead time 4-6 weeks ‡Muntin color may be affected by glass coatings, such as Low-E. Coil not exact match *Options
Colors shown are reproduced by mechanical process and may vary from actual colors of product. Use actual color selector.

EXTERIOR PAINT & EXTERIOR LAMINATE: 20 Year Warranty against fading, peeling and cracking

EXTERIOR LAMINATES

N/A with Dark Oak Interior Wood Grain



VINYL COLORS



MINIBLINDS



PLATED LOCK FINISHES



Antique Brass Satin Nickel Black Bright Brass Aged Bronze Coppertone
Standard on woodgrains

INTERIOR WOODGRAINS



Coppertone hardware is standard on woodgrains


INTERNAL GRIDS & DECORATIVE GLASS

Colonial, Prairie, Double Prairie:
Flat, Contour, Brasses, View Glass
Diamond: Flat & View Glass Only



Colonial Flat Diamond Flat Colonial Antique Brass Satin Nickel Colonial Contour

view glass 3/8" v-groove, interior surface of glass unit pane




Colonial Slimline Brass Colonial View Diamond View Floral View Elongated Floral View



Prairie View Double Prairie View Contour Prairie Style Double Prairie Style Flat Obscure Glass Rain Glass

SCREEN OPTIONS

BETTERVUE[®](STANDARD)



BetterVUE[®] Screen Mesh
Better Insect Screen
• 10% Better Insect Protection
• 20% Better Airflow
• 20% Clearer View
• Half Screen is standard
• Pet Screen & Aluminum Screen Mesh optional*





PATIO DOOR


Energy Efficient Glass



Foot operated dead bolt provides an extra lock point for secure partial opening.



Multi-Point Lock: Steel hooks lock at three points. (3-point is optional upgrade)




Vinyl-Wrapped Threshold/Sill is more thermally efficient.




Smooth gliding, solid-steel, zinc-plated tandem rollers. Iridium coating on exposed parts enhances corrosion resistance.


STANDARD SIZES




5'0" x 6'8"




6'0" x 6'8"



8'0" x 6'8"



9'0" x 6'8"




12'0" x 6'8"

Custom Sizes:

Two panel widths: 55" to 95 1/2" | three panel widths: 95" to 142 7/8" max height: 84"

Side Lite STANDARD SIZES



Custom Sizes:
Width 1'6" to 4'1"
Max height - 84"

PATIO DOOR OPTIONS

Decorative Glass

DESIGNS



Colonial



Prairie Style



Double Prairie Style



Diamond
n/a contour or brasses



Colonial Flat



Colonial Contour



Antique Brass



Satin Nickel



Slimline Brass



View



Floral View



Elongated Floral View



Arch View

INTERNAL MUNTIN STYLES

view glass 3/8" v-groove, interior surface of glass unit pane

HANDLE SET FINISHES W/ EXTERIOR KEY LOCK



Satin Nickel



Polished Brass



Antique Brass



Black



Aged Bronze



White or Tan Standard
Coppertone for Woodgrains



SCREEN HANDLE



1580 Heaviest Extrusion Mortised with Lock

MORTISED HOOK LOCKS




Single Point Standard




Two Point

FOAM FILLED


Foam filled vertical main frame adds strength and insulating performance.




intercept
SPACER SYSTEM



SCREEN OPTIONS



BetterVUE® Screen Mesh
Better Insect Screen
10% Better Insect Protection
20% Better Airflow
20% Clearer View



Standard Screen Mesh
Sight more obstructed
Less Airflow than BetterVue Screens
Proven and Reliable

Proven and Reliable • Strong, extruded aluminum frame in white or tan. • Glides on 1 1/4" steel rollers
Half screen Standard • Also available in Pet Screen* Aluminum Screen Mesh*

See Page 3 for other included options:

Exterior Paint, Exterior Laminate
Vinyl Colors, Interior Wood Grain
Mini Blinds